

# ORIGINAL H6W

Original spare part



## The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Order reference                             | 64132          |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 7 W    |
| Nominal voltage       | 12.0 V |
| Nominal wattage       | 6.00 W |
| Test voltage          | 13.5 V |
| Power input tolerance | ±5 %   |

Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 125 lm |
| Luminous flux tolerance | ±12 %  |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 9 mm    |
| Product weight | 2.30 g  |
| Length         | 33.0 mm |

Lifespan

|             |       |
|-------------|-------|
| Lifespan B3 | 350 h |
| Lifespan Tc | 700 h |

Additional product data

|                             |       |
|-----------------------------|-------|
| Base (standard designation) | BAX9s |
|-----------------------------|-------|

## Product datasheet

### Certificates & standards

|                           |             |
|---------------------------|-------------|
| ECE category              | H6W         |
| Approval marks – approval | E1 approval |

### Country specific categorizations

|                 |       |
|-----------------|-------|
| Order reference | 64132 |
|-----------------|-------|

### Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321094896 | OSRA64132  | -       | -          | -      |
| 4008321094902 | OSRA64132  | -       | -          | -      |
| 4008321094896 | OSRA64132  | -       | -          | -      |

### Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|---------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4008321094896 | ORIGINAL H6W        | Unpacked<br>1                   | 35 mm x 15 mm x<br>18 mm                | 0.01 dm <sup>3</sup> | 21.00 g      |
| 4008321094902 | ORIGINAL H6W        | Folding carton box<br>10        | 54 mm x 40 mm x<br>138 mm               | 0.30 dm <sup>3</sup> | 36.00 g      |
| 4008321094919 | ORIGINAL H6W        | Shipping carton box<br>50       | 205 mm x 144 mm x<br>64 mm              | 1.89 dm <sup>3</sup> | 230.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM

