


64156TSP

TRUCKSTAR PRO | Halogen headlight lamps for trucks



Product family benefits

- More light allows to see farther and therefore react sooner
- Reduced downtime and fleet costs
- Suitable for heavy duty applications
- Excellent value for money
- Improved road illumination
- Suitable for heavy duty applications thanks to very high vibration resistance
- Increased driving safety thanks to better illumination of the road

Product family features

- Up to 100% more brightness compared to the minimum legal standard
- More than double the service life compared to standard lamps
- Very high vibration resistance
- Cost-effective
- Impressive brightness and reliability

Technical data




Electrical data

Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

Photometrical data

Luminous flux	1750 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

Dimensions & weight



Length	42.0 mm
Diameter	12.0 mm
Product weight	6.55 g

Lifespan

Lifespan B3	600 h
Lifespan Tc	1200 h

Additional product data

Base (standard designation)	PK22s
Product type (off-road vs. on-road)	On-road
Application (Category and Product specific)	Halogen headlight lamp

Certificates & standards

ECE category	H3
--------------	----

Country specific categorizations

Order reference	64156TSP
-----------------	----------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321784261	64156TSP	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	8.56 g
4008321784278	64156TSP	Bundle 10	70 mm x 50 mm x 116 mm	0.41 dm ³	86.60 g
4008321784285	64156TSP	Shipping carton box 100	361 mm x 123 mm x 108 mm	4.80 dm ³	961.00 g
4008321784292	64156TSP	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm ³	105.20 g
4062172059459	64156TSP	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	611.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

Light output compared to the minimum ECE 112 requirements.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.