

OSRAM ORIGINAL LINE H9

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	64213
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	73 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	65.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	2100 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Diameter	12.0 mm
Product weight	23.00 g
Length	67.0 mm

Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	PGJ19-5
-----------------------------	---------

Product datasheet

Capabilities

Technology	Halogen lamp
------------	--------------

Certificates & standards

ECE category	H9
--------------	----

Country specific categorizations

Order reference	64213
-----------------	-------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300524368	OSRA64213	-	-	-
4050300524375	OSRA64213	-	-	-
4050300524368	OSRA64213	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300524368	OSRAM ORIGINAL LINE H9	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm ³	29.00 g
4050300524375	OSRAM ORIGINAL LINE H9	Bundle 10	148 mm x 75 mm x 109 mm	1.21 dm ³	300.00 g
4050300524382	OSRAM ORIGINAL LINE H9	Shipping carton box 100	341 mm x 154 mm x 191 mm	10.03 dm ³	3191.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM