

64502 150 W 230 V

Halogen lamps, medium/high voltage, single-ended




Areas of application

- Professional film and TV work

Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Technical data


Electrical data

Nominal wattage	150.00 W
Nominal voltage	230 V

Photometrical data

Nominal luminous flux	4000 lm
Color temperature	3200 K

Dimensions & weight



Diameter	18.0 mm
Length	55.0 mm
Illuminated field	13.0*1.9 mm ²
Filament diameter	1.9 mm

Lifespan

Lifespan	50 h
----------	------

Additional product data

Base (standard designation)	GX6.35
-----------------------------	--------

Capabilities

Burning position	Any
------------------	-----

Certificates & standards

EEI – Energy Label	B
--------------------	---

Country specific categorizations

Product datasheet

Order reference	64502 150W 230V
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321746054	64502 150 W 230 V	Folding carton box 1	71 mm x 33 mm x 37 mm	0.09 dm ³	10.60 g
4008321746061	64502 150 W 230 V	Shipping carton box 20	205 mm x 76 mm x 142 mm	2.21 dm ³	277.00 g
4052899080751	64502 150 W 230 V	Folding carton box 1	70 mm x 37 mm x 33 mm	0.09 dm ³	15.00 g
4052899080768	64502 150 W 230 V	Shipping carton box 20	205 mm x 142 mm x 76 mm	2.21 dm ³	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:

"A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.