

OSRAM ORIGINAL LINE HB3

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	9005
Application (Category and Product specific)	Halogen headlight lamp

Electrical data



Power input	73 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1700 lm
Luminous flux tolerance	±12 %

Dimensions & weight



Diameter	12.0 mm
Product weight	28.00 g
Length	80.3 mm

Lifespan

Lifespan B3	280 h
Lifespan Tc	550 h

Additional product data

Base (standard designation)	P20d
-----------------------------	------

Product datasheet

Capabilities

Technology	Halogen lamp
------------	--------------

Certificates & standards

ECE category	HB3
--------------	-----

Country specific categorizations

Order reference	9005
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300137193	OSRA9005	-	-	-
4050300137209	OSRA9005	-	-	-
4050300137193	OSRA9005	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321171214	OSRAM ORIGINAL LINE HB3	Blister 1	135 mm x 95 mm x 40 mm	0.51 dm ³	38.89 g
4008321171221	OSRAM ORIGINAL LINE HB3	Shipping carton box 10	248 mm x 145 mm x 203 mm	7.30 dm ³	410.00 g
4050300137193	OSRAM ORIGINAL LINE HB3	Folding carton box 1	46 mm x 46 mm x 68 mm	0.14 dm ³	35.60 g
4050300137209	OSRAM ORIGINAL LINE HB3	Bundle 10	142 mm x 79 mm x 197 mm	2.21 dm ³	280.00 g
4050300137216	OSRAM ORIGINAL LINE HB3	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm ³	3053.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

