

# X-RACER H8

Bluish-white light for xenon look



## Xenon look

Bluish-white light for stylish xenon look



## Up to 4,200 Kelvin

High contrast and brilliantly blue light for most stylish and modern look on the road



## Vibration resistance

Tested for the unusually high loads caused by speed and changing road surfaces



## The bluish-white light with up to 4,200 K

X-RACER motorcycle lamps provide modern, bluish-white light with a color temperature of up to 4,200 Kelvin. This up to 20% brighter light is very pleasant for the rider and approximates due to its bluish "xenon look" to the light of xenon lamps. The cool blue coating and stylish silver cap gives the lamps an unmistakable appearance. With their vibration resistant technology, the lamps are tested under real conditions for the unusually high loads caused by speed and changing road surfaces.

Technical data

Product information

Order reference	64212XR
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	43 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	35.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

Photometrical data

Luminous flux	800 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	67.0 mm
Diameter	10.0 mm
Product weight	19.77 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	PGJ19-1
-----------------------------	---------

## Product datasheet

### Capabilities

Technology	Halogen lamp
------------	--------------

### Certificates & standards

ECE category	H8
--------------	----

### Country specific categorizations

Order reference	64212XR
-----------------	---------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899253667	X-RACER H8	Blister 1	135 mm x 95 mm x 40 mm	0.51 dm <sup>3</sup>	30.77 g
4052899253674	X-RACER H8	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	407.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM