

## 66240CBI

XENARC COOL BLUE INTENSE | Xenon headlight lamps



### Areas of application

- Headlight

### Product benefits

- Exceptionally bright
- Offers high contrast
- Up to 20 % more light (compared to conventional coated gas discharge lamps)

### Product features

- Blue effect without coating
- Color temperature: up to 5,500 K

Technical data


Electrical data

|                       |         |
|-----------------------|---------|
| Power input           | 35 W    |
| Nominal voltage       | 85.0 V  |
| Nominal wattage       | 35.00 W |
| Power input tolerance | ±3 %    |
| Test voltage          | 13.5 V  |

Photometrical data

|                         |         |
|-------------------------|---------|
| Luminous flux           | 3200 lm |
| Luminous flux tolerance | ±15 %   |

Dimensions & weight



|                |         |
|----------------|---------|
| Length         | 77.0 mm |
| Diameter       | 9 mm    |
| Product weight | 16.00 g |

Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 1800 h |
| Lifespan Tc | 2800 h |

Additional product data

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | P32d-2 |
|-----------------------------|--------|

Certificates & standards

|              |                   |
|--------------|-------------------|
| ECE category | D2S <sup>1)</sup> |
|--------------|-------------------|

<sup>1)</sup> To be operated only with approved electronic control gear

## Product datasheet

### Country specific categorizations

|                 |                 |
|-----------------|-----------------|
| Order reference | 66240CBI 35W P3 |
|-----------------|-----------------|

---

### Country specific information

| Product code  | METEL code      | SEG-No. | STK-Number | UK Org |
|---------------|-----------------|---------|------------|--------|
| 4008321401359 | OSRA66240CBI    | -       | -          | -      |
| 4008321588883 | OSRA66240CBIDUO | -       | -          | -      |

## Product datasheet

---

### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

---

### Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|---------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4008321401359 | 66240CBI            | Folding carton box<br>1         | 87 mm x 33 mm x<br>33 mm                | 0.09 dm <sup>3</sup> | 25.07 g      |
| 4008321401366 | 66240CBI            | Shipping carton box<br>10       | 186 mm x 97 mm x<br>78 mm               | 1.41 dm <sup>3</sup> | 307.87 g     |
| 4008321588883 | 66240CBI            | Hard Cover Box<br>2             | 114 mm x 47 mm x<br>95 mm               | 0.51 dm <sup>3</sup> | 106.00 g     |
| 4008321588890 | 66240CBI            | Shipping carton box<br>20       | 250 mm x 106 mm x<br>240 mm             | 6.36 dm <sup>3</sup> | 1279.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Legal advice

ECE approval

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.