


64210NR1

NIGHT RACER 110 | Halogen headlight lamps



Areas of application

- Motorcycle headlight

Product benefits

- Up to 110 % more light on the road (compared to standard halogen lamps)
- Up to 40 m longer beam of light (compared to standard halogen lamps)
- Up to 20 % whiter light (compared to standard halogen lamps)
- Higher resilience due to robust coil design
- Optimum light for more time to react
- Patented blue ring coating for less reflected glare
- More efficient light production thanks to optimized inert filling gas formula

Product features

- Eye-catching design with partial blue coating and silver cap

Product datasheet

Technical data

Electrical data

Power input	58 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1500 lm
---------------	---------

Dimensions & weight

Length	59.0 mm
Diameter	12.0 mm
Product weight	12.50 g

Lifespan

Lifespan B3	150 h
Lifespan Tc	250 h

Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

Certificates & standards

ECE category	H7
--------------	----

Country specific categorizations

Order reference	64210NR1-01B 55
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899929593	64210NR1	Blister 1	135 mm x 95 mm x 40 mm	0.51 dm ³	25.00 g
4052899929609	64210NR1	Shipping carton box 10	279 mm x 115 mm x 145 mm	4.65 dm ³	435.00 g
4052899929616	64210NR1	Blister 2	185 mm x 140 mm x 75 mm	1.94 dm ³	94.00 g
4052899929623	64210NR1	Shipping carton box 20	356 mm x 206 mm x 197 mm	14.45 dm ³	1116.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.