

66150CBI

XENARC COOL BLUE INTENSE | Xenon headlight lamps



Areas of application

- Headlight

Product benefits

- Exceptionally bright
- Offers high contrast
- Up to 20 % more light (compared to conventional coated gas discharge lamps)

Product features

- Blue effect without coating
- Color temperature: up to 5,500 K

Technical data


Electrical data

Power input	35 W
Nominal voltage	85.0 V
Nominal wattage	35.00 W
Power input tolerance	±3 %
Test voltage	13.5 V

Photometrical data

Luminous flux	2800 lm
Luminous flux tolerance	±16 %

Dimensions & weight



Length	83.0 mm
Diameter	9 mm
Product weight	60.00 g

Lifespan

Lifespan B3	1500 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	PK32d-3
-----------------------------	---------

Certificates & standards

ECE category	D1R ¹⁾
--------------	-------------------

¹⁾ To be operated only with approved electronic control gear

Country specific categorizations

Order reference	66150CBI 35W PK
-----------------	-----------------

Product datasheet

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899339903	66150CBI	Folding carton box 1	- x - x -		
4052899339910	66150CBI	Shipping carton box 4	118 mm x 98 mm x 97 mm	1.12 dm ³	356.00 g
4052899339927	66150CBI	Shipping carton box 48	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

ECE approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.