

66150

XENARC ORIGINAL | Xenon headlight lamps



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality
- 4 year guarantee

Product features

- Original spare parts



Technical data


Electrical data

Power input	35 W
Nominal voltage	85.0 V
Nominal wattage	35.00 W
Power input tolerance	±3 %
Test voltage	13.5 V

Photometrical data

Luminous flux	2800 lm
Luminous flux tolerance	±16 %

Dimensions & weight



Length	80.0 mm
Product weight	63.00 g

Lifespan

Lifespan B3	2000 h
Lifespan Tc	3000 h

Additional product data

Base (standard designation)	PK32d-3
-----------------------------	---------

Certificates & standards

ECE category	D1R ¹⁾
Approval marks – approval	GOST

¹⁾ To be operated only with approved electronic control gear

Country specific categorizations

Order reference	66154 35W PK32D
-----------------	-----------------

Product datasheet

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321329318	66150	Unpacked 1	- x - x -		
4008321329325	66150	Shipping carton box 80	350 mm x 260 mm x 250 mm	22.75 dm ³	6140.00 g
4052899339828	66150	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm ³	83.00 g
4052899339835	66150	Shipping carton box 4	118 mm x 98 mm x 97 mm	1.12 dm ³	364.00 g
4052899339842	66150	Shipping carton box 48	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.