

64183

OSRAM ORIGINAL LINE | Halogen headlight lamps for cars



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts



Technical data

Electrical data


Power input	48.5 / 46.5 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	45/40 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1030/740 lm
Luminous flux tolerance	±12 / +5 %...15 %

Dimensions & weight



Length	82.0 mm
Diameter	17.0 mm
Product weight	28.00 g

Lifespan

Lifespan B3	250 / 400 h ¹⁾
Lifespan Tc	500 / 1200 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P45t
-----------------------------	------

Certificates & standards

ECE category	R2
--------------	----

Product datasheet

Country specific categorizations

Order reference	64183-01B 45/40
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300350554	OSRA64183	-	-	-
4050300925400	OSRA64183BL11	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300350554	64183	Folding carton box 1	71 mm x 47 mm x 47 mm	0.16 dm ³	32.70 g
4050300350561	64183	Bundle 10	143 mm x 71 mm x 192 mm	1.95 dm ³	327.00 g
4050300350578	64183	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm ³	3523.00 g
4050300925400	64183	Blister 1	125 mm x 56 mm x 95 mm	0.67 dm ³	34.89 g
4008321142887	64183	Shipping carton box 10	335 mm x 145 mm x 116 mm	5.63 dm ³	510.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.