

64216TSP

TRUCKSTAR PRO | Halogen headlight lamps



Product benefits

- Tried and trusted in millions of vehicles of well-known automobile manufacturers
- Excellent price/performance ratio
- Impressive brightness and reliable lifetime
- Up to 100 % more light (compared to standard lamps)
- Up to 100 % longer lifetime (compared to standard lamps)
- Suitable for heavy duty applications thanks to very high vibration resistance
- Increased driving safety thanks to better illumination of the road

Product features

- Available for all headlight functions in H1, H3, H4, H7

Product datasheet

Technical data




Electrical data

Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

Photometrical data

Luminous flux	1600 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Length	67.0 mm
Diameter	12.0 mm
Product weight	23.00 g

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	PGJ19-2
-----------------------------	---------

Certificates & standards

ECE category	H11
--------------	-----

Country specific categorizations

Order reference	64216TSP 70W 24
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899904644	64216TSP	Hard Cover Box 2	114 mm x 47 mm x 95 mm	0.51 dm ³	120.00 g
4052899904651	64216TSP	Shipping carton box 20	250 mm x 240 mm x 106 mm	6.36 dm ³	1340.00 g
4052899904804	64216TSP	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm ³	29.00 g
4052899904811	64216TSP	Bundle 10	185 mm x 66 mm x 71 mm	0.87 dm ³	292.00 g
4052899904828	64216TSP	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm ³	3091.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

ECE E1 approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.