

6000 K

LEDDriving PREMIUM | – Suitable replacement for T4W



Areas of application

- Interior lighting

Product benefits

- 5 year guarantee
- Perfect light distribution thanks to modern diffusor material
- Two different light colors for a variety of customization options
- Maintenance-free thanks to very long lifetime
- Up to 80 % less energy consumption (compared to standard lamps)
- Easy plug and play replacement

Product features

- LED retrofit lamps for various applications in vehicle interiors
- LEDT4W available with color temperature: 4,000 K, 6,000 K
- LEDT4W available with light color: Warm White, Cool White
- Shockproof and vibration-proof

Product datasheet

Technical data



Electrical data

Nominal voltage	24.0 V
Nominal wattage	1.00 W

Photometrical data

Color temperature	6000 K
Luminous flux	55 lm

Dimensions & weight



Length	27.4 mm
Diameter	9 mm
Product weight	2.70 g

Lifespan

Lifespan B3	2500 h
Lifespan Tc	5000 h

Additional product data

Base (standard designation)	BA9s
-----------------------------	------

Certificates & standards

ECE category	T4W
--------------	-----

Country specific categorizations

Order reference	3924CW-02B 1W 2
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321875747	6000 K	Blister 2	135 mm x 95 mm x 13 mm	0.17 dm ³	17.40 g
4008321875754	6000 K	Shipping carton box 10	71 mm x 104 mm x 146 mm	1.08 dm ³	122.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.