

P21W P Red

LEDiving PREMIUM | – Suitable replacement for P21W



Areas of application

- Exterior LED car lighting

Product benefits

- 6 year guarantee
- Modern and intense light with up to 6,000 K
- Three different light colors for various applications
- Perfect light distribution thanks to optimal usage of reflector
- No selective illumination
- Easy plug and play replacement, regardless of base polarity
- Maintenance-free thanks to long lifetime and short-circuit protection
- Up to 80 % less energy consumption (compared to standard lamps)

Product features

- Compatible with conventional P21W lamp base
- LED retrofit lamps for various vehicle exterior applications
- Available with light color: Cool White, Amber, Red (for usage behind red glass)
- Shockproof and vibration-proof


Product datasheet

Technical data

Electrical data

Nominal voltage	12.0 V
Nominal wattage	2.00 W

Dimensions & weight



Length	49.8 mm
Diameter	25.7 mm
Product weight	21.30 g

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	P21W
--------------	------

Country specific categorizations

Order reference	7556R-02B 2W 12
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899367944	P21W P Red	Blister 2	135 mm x 95 mm x 18 mm	0.23 dm ³	33.30 g
4052899367951	P21W P Red	Shipping carton box 10	115 mm x 105 mm x 145 mm	1.75 dm ³	313.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.