

# COOL BLUE BOOST

Hyper blue light for off-road use



**Hyper blue**

For fatigue-free and comfortable driving compared to standard halogen lamps



**Up to 5,000 K**

High contrast and most stylish look on the road



**Up to 50% more light**

For better visibility and shorter reaction times compared to other blue coated halogen lamps



**The hyper blue halogen light with up to 5,000 K**

COOL BLUE BOOST convinces with hyper blue halogen light and high color temperatures of up to 5,000 K. The lamps generate up to 50% more light compared to other blue coated halogen lamps. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Product datasheet

### Technical data

#### Product information

Order reference	62210CBB
Product type (off-road vs. on-road)	Off-road $\pm$ H7
Application (Category and Product specific)	Halogen headlight lamp

#### Electrical data


Power input	73 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	80.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

#### Photometrical data

Luminous flux	900 lm
Luminous flux tolerance	$\pm$ 15 %
Color temperature	3200 K

#### Dimensions & weight



Diameter	10.7 mm
Product weight	9.80 g
Length	59.0 mm

#### Lifespan

Lifespan B3	200 h
Lifespan Tc	400 h

#### Additional product data

## Product datasheet

Base (standard designation)	PX26d
-----------------------------	-------

### Capabilities

Technology	Halogen lamp
------------	--------------

### Certificates & standards

ECE category	
--------------	--

### Country specific categorizations




Order reference	62210CBB
-----------------	----------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899439801	COOL BLUE BOOST	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm <sup>3</sup>	111.68 g
4062172059336	COOL BLUE BOOST	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	643.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 Brochures Flyer Cool Blue Boost (EN)
 Brochures Flyer Cool Blue Boost (EN)
 Brochures Flyer Cool Blue Boost Jeep Version (EN)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM