

LEDiving STANDARD

– Suitable replacement for W5W



Areas of application

– Interior lighting


Product benefits

- 3 year guarantee
- Non selective illumination thanks to homogenous light
- Maintenance-free thanks to long lifetime
- Easy plug and play replacement


Product features

- LED retrofit lamps for various applications in vehicle interiors


Product family datasheet




Product line drawing




Product line drawing



Product line drawing



Product line drawing



Product line drawing

Product family datasheet

Technical data

Product description	Electrical data		Photometrical data	Dimensions & weight		Additional product data	Certificates & standards	Country specific categorizations
	Nominal voltage	Nominal wattage	Luminous flux	Length	Diameter	Base (standard designation)	ECE category	Order reference
W5W S Cool White	12.0 V	1.00 W	50 lm	26.8 mm	10.0 mm	W2.1x9.5d	W5W	2880CW 1W 12V W
W5W S Red	12.0 V	1.00 W		26.8 mm	10.0 mm	W2.1x9.5d	W5W	2880R-02B 1W 12
W5W S Amber	12.0 V	1.00 W		26.8 mm	10.0 mm	W2.1x9.5d	W5W	2880YE 1W 12V W
W5W S Green	12.0 V	1.00 W		26.8 mm	10.0 mm	W2.1x9.5d	W5W	2880GR 1W 12V W
W5W S Ice Blue	12.0 V	1.00 W		26.8 mm	10.0 mm	W2.1x9.5d	W5W	2880BL-02B 1W 1

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.