

LEDDriving PX-5

- LED daytime running lights



Areas of application

- Daytime running light


Product family benefits

- 3 year guarantee
- Low energy consumption
- Easy installation
- Suitable for many vehicle models
- Modern dotted diode effect
- Automatic dimming mode at night
- Dynamic appearance thanks to faceted optic and dotted LED technology
- Mountable into narrow bumper grids thanks to slim design and specific shape

Product family features

- Faceted optic and dotted pixel technology
- LED daytime running light (ECE certified)
- Color temperatures of up to 5,200 K
- Premium OSRAM quality
- Long lifetime of up to 5,000 h with low energy consumption
- Certified according to ECE, SAE, CCC regulations
- Type of protection: IP67K

Product family datasheet



Product line drawing

Product family datasheet

Technical data

	Electrical data				Photometrical data		Dimensions & weight	Lifespan
Product description	Power input	Nominal voltage	Nominal wattage	Test voltage	Color temperature	Luminous flux	Length	Lifespan Tc
LEDDRL301 CLAMP15	13.5 W	13.2 V	12.5 W	14.0 V	5200 K	300 lm	160.0 mm	5000 h
LEDDRL301		13.2 V	12.5 W				160.0 mm	

	Country specific categorizations
Product description	Order reference
LEDDRL301 CLAMP15	LEDDRL301 BK 12
LEDDRL301	LEDDRL301 BK 12

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Legal advice

Detailed guarantee terms can be found at www.osram.com/am-guarantee.

Compatible with start-stop-systems and hybrid vehicles

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.