

ONYX COPILOT

LED reading lights



Areas of application

- Vehicle interior
- Reading light


Product family benefits

- 2 year guarantee
- Comfortable warm and glare-free light
- Individual adjustment thanks to bendable neck
- Pleasantly soft, easy to grip and dirt resistant surface
- Luminaire can be switched on/off and remain connected permanently


Product family features

- Reading luminaire with LED lamp for vehicle interior
- Supply voltage: 12 V and 24 V
- Available with color temperature: 3,200 K
- Luminous flux: 20 lm
- Lifetime (LED): up to 20,000 h
- Plastic base (40 x 40 mm) with two mounting holes for M4 screw
- Electrical contacting via plug connector AMP 626065-0
- Bright LED reading light for vehicle interior, 12 V & 24 V compatible
- Individual adjustment thanks to bendable neck
- Different plug-in ports (cigarette lighter, USB port, fix mounting) available
- Service life (LED): up to 20,000 h
- High protection class

Product family datasheet



Prod.line drw, front, no dimensions



Prod.line drw, front, no dimensions

Technical data

	Electrical data			Photometrical data	Dimensions & weight	Country specific categorizations
Product description	Power input	Nominal wattage	Power input tolerance	Luminous flux	Length	Order reference
ONYX L+7	0.5 W	0.5 W	±10 %	20 lm	460.0 mm	ONYX COPILOT L+
ONYX M - 7	0.5 W	0.5 W	±10 %	20 lm	473.0 mm	ONYX COPILOT M+

Product family datasheet

Equipment / Accessories

- Matching mating plug AMP 626064-0
 - Matching plugs: AMP 1217281-2, 63241-3, 62572-6 or 1217321-2
-

Application advice

For more detailed application information and graphics please see product datasheet.

References / Links

Guarantee terms are available at

- ▶ www.osram.com/am-guarantee
-

Legal advice

Detailed guarantee terms can be found at www.osram.com/am-guarantee.

The given value does not state the overall length of the product.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
