

INSPECTION LAMP

LEDinspect PROFESSIONAL 150 | Inspection lamps



Areas of application

- Inspection and maintenance of vehicles at home

Product benefits

- 2 year guarantee
- Rechargeable LED luminaire with compact, high-quality design with base station
- Robust and impact-resistant housing
- Excellent illumination thanks to long-lasting high intensity LEDs
- Easy to grip and dirt resistant surface
- No batteries needed
- Keeps your hands free thanks to magnet and clip
- Easy charging via USB port and AC connection

Product features

- Charging indicator
- Voltage: 3.7 V
- Wattage: 3 W
- Type of protection: IP44
- Impact resistance: IK06
- Rechargeable 3.7 V 2,000 mAh Li-ion battery
- Equipped with 6+1 high-quality, long-lasting LEDs
- Available with color temperature: 6,500 K, 7,500 K
- Intense white light
- Luminous flux: up to 150 lm (main light), up to 70 lm (torch light)
- Suspensible via 360° rotatable hook
- Operation time of battery: up to 5 h (main light), up to 8 h (torch light)

Product datasheet

- Charge time of battery: 5...6.5 h (main light, torch light)


Product datasheet

Technical data

Photometrical data

Color temperature	6000 K
-------------------	--------

Dimensions & weight



Length	235.0 mm
--------	----------

Product datasheet

Equipment / Accessories

- Charging cable included
-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899425019	INSPECTION LAMP	Blister 1	- x - x -		
4052899425026	INSPECTION LAMP	Shipping carton box 4	200 mm x 195 mm x 355 mm	13.85 dm ³	1975.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

- ▶ www.osram.com/am-guarantee
-

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
