
XENARC COOL BLUE BOOST – OFF-ROAD

Xenon headlight lamps



Product benefits

- Hyper blue light (from a special filling system instead of conventional coating)
- Color temperatures: up to 7,000 K

Product family datasheet

Technical data

	Electrical data					Photometrical data	Dimensions & weight	
Product description	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Luminous flux	Length	Diameter
XCBB 66140CBB ¹⁾	35 W	85.0 V	35.00 W	±3 %	13.5 V	3200 lm	83.0 mm	9 mm
XCBB 66240CBB ¹⁾		85.0 V	35.00 W		13.5 V	3200 lm		
XCBB 66340CBB ¹⁾		42.0 V	35.00 W		13.5 V	3000 lm	80.0 mm	9 mm
XCBB 66440CBB ¹⁾		42.0 V	35.00 W		13.5 V	3000 lm	77.0 mm	9 mm

	Additional product data	Certificates & standards	Country specific categorizations
Product description	Base (standard designation)	ECE category	Order reference
XCBB 66140CBB ¹⁾	PK32d-2	- ²⁾	66140CBB
XCBB 66240CBB ¹⁾		- ²⁾	66240CBB
XCBB 66340CBB ¹⁾	PK32d-5	- ²⁾	66340CBB
XCBB 66440CBB ¹⁾	P32d-5	- ²⁾	66440CBB

¹⁾ Reduced UV emission/For projection headlights/ECE approval and DOT label

²⁾ To be operated only with approved electronic control gear

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Legal advice

No ECE approval. This means they must not be used on public roads. Please note: Use on public roads leads to cancellation of operating license and loss of insurance coverage.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.