

62200SBP

SUPER BRIGHT PREMIUM / SUPER BRIGHT – OFF-ROAD | Halogen headlight lamps for cars



Areas of application

- Headlight for off-road use
- Rally and off-road

Product benefits

- Rugged and versatile
- Excellent reliability and brightness even on the most difficult terrain

Product features

- Assortment with very high wattages and quality standards
- High-wattage off-road lamps

Technical data

Electrical data


Power input	93 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	100.00 W
Test voltage	13.2 V

¹⁾ Approximately

Photometrical data

Luminous flux	2600 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Length	67.5 mm
Diameter	9 mm
Product weight	5.90 g

Lifespan

Lifespan B3	1000 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	P14.5s
-----------------------------	--------

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Product datasheet

Order reference	62200 100W 12V
-----------------	----------------

Country specific information

Product code	METEL-Code	SEG-No.	STK number	UK Org
4052899126282	-	-	4730339	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899126282	62200SBP	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	7.90 g
4052899126299	62200SBP	Bundle 10	- x - x -		
4052899126305	62200SBP	Shipping carton box 100	122 mm x 109 mm x 361 mm	4.80 dm ³	1105.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

No ECE approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.