

Touch

Flexible wall touch control

Flat cutting-edge design and a lot of versions for flexible and comfortable wireless control solutions. The small dimensions allow an easy installation on the wall and on furnitures or window too. Available in two colors shiny white and matt black. The ISM (industrial, scientific and medical) radio frequency band guarantees a long range, even through walls and ceilings.



TECHNICAL DATA


Power supply	Battery CR 2450
Battery life	About 3 years
Code	Rolling code
Radio frequency	433.92 MHz ISM
Range	100 m in free field (40 m inside buildings)
Dimensions	40 mm x 40 mm h 10 mm





Type 1 Touch push

Flat touch buttons with capacitive touch technology. It recognizes short and long press by the finger for different functions like short press = On/Off, long press = Dimmer.



Type 2 Touch crown

Central touch push button and capacitive touch wheel for sending commands through the rotative movement, Ideal for dimming actions.



Type 3 Touch sensor

Flat touch push button and PIR sensor for activating devices by movements in the area.



Touch

Available versions

Three versions with settable buttons, one version with dedicated up/down/stop buttons, three wheel touch versions for controlling dimmable lights, RGB/W lights and tunable white lights. One smart motion sensor with low consumption infrared technology.



■ Codice :

TOUCH-1G

Descrizione :

Remote control rolling code 433.92 MHz,
1 channel with settable function



■ Codice :

TOUCH-2G

Descrizione :

Remote control rolling code 433.92 MHz,
2 channels with settable function



■ Codice :

TOUCH-4G

Descrizione :

Remote control rolling code 433.92 MHz,
4 channels with settable function



■ Codice :

TOUCH-1L

Descrizione :

Remote control rolling code 433.92 MHz,
1 channels, Up-Down-Stop



- Codice : **TOUCH-1DIM**
- Descrizione : 1-channel remote control rolling code 433.92 MHz. Ideal for controlling dimmable lights.



- Codice : **TOUCH-1RGBW**
- Descrizione : 1-channel remote control rolling code 433.92 MHz. Ideal for controlling coloured lights.



- Codice : **TOUCH-1CCT**
- Descrizione : 1-channel remote control rolling code 433.92 MHz. Ideal for controlling tunable white lights.



- Codice : **TOUCH-1SP**
- Descrizione : Motion sensor with Rolling code 433,92MHz radio transmission. Battery power supply



BLACK EDITION

All the remote controls Touch are available in black version too.
For order the black version add "BL" after the code.