

## LEDDriving HL H11 Gen1

Suitable replacement for H11



### Product family features

- Cool White color temperature of 6,000 K
- Superior brightness
- Very compact LED replacement for conventional H11 high and low beam lamps
- Premium OSRAM quality made in Italy
- Long lifetime of up to 5,000 h
- Integrated electronics, no external driver

Product family datasheet

Technical data

	Electrical data		Dimensions & weight		Additional product data	Certificates & standards	Country specific categorizations
Product description	Nominal voltage	Nominal wattage	Length	Diameter	Base (standard designation)	ECE category	Order reference
LEDiving PREMIUM 65211CW	12/24 V	14.00 W	453.9 mm	34.0 mm	PGJ19-2	≙ H11	65211CW

## Product family datasheet

---

### Application advice

For more detailed application information and graphics please see product datasheet.

---

### Legal advice

Detailed guarantee terms can be found at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee).

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

LEDiving CANBUS CONTROL UNIT avoids error messages on the board computer when using LED based products.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.